
# FERTINET

# DATA SHEET FortiGate® 3000D

FG-3000D and 3000D-DC

Next Generation Firewall Segmentation IPS Mobile Security



The FortiGate 3000D series delivers high performance threat protection and SSL inspection for large enterprises and service providers, with the flexibility to be deployed at the enterprise/cloud edge, in the data center core or internal segments. The multiple high-speed interfaces, high port density, superior security efficacy and high throughput of the 3000D series keeps your network connected and secure.

#### Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevent and detect against known and unknown attacks using continuous threat intelligence from AI powered FortiGuard Labs security services

#### Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

#### Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs

#### Networking

- Delivers advanced networking capabilities that seamlessly integrate with advanced layer 7 security and virtual domains (VDOMs) to offer extensive deployment flexibility, multi-tenancy and effective utilization of resources
- Delivers high-density, flexible combination of various highspeed interfaces to enable best TCO for customers for data center and WAN deployments

#### Management

- Includes management console that is effective, simple to use, and provides comprehensive network automation & visibility.
- Provides Zero Touch Integration with Security Fabric's Single Pane of Glass Management
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

#### **Security Fabric**

 Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing and automated remediation

| Firewall | IPS     | NGFW    | Threat Protection | Interfaces  |
|----------|---------|---------|-------------------|---|
| 80 Gbps  | 23 Gbps | 22 Gbps | 13 Gbps           | Multiple 10 GE SFP+   Multiple GE SFP and GE RJ45 |

Refer to specification table for details

## Deployment



Next Generation Firewall (NGFW)

- Reduce complexity by combining threat protection security capabilities into single high-performance network security appliance
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual applications in your network traffic
- Delivers industry's highest SSL inspection performance using industrymandated ciphers while maximizing ROI
- Proactively blocks newly discovered sophisticated attacks in real-time with advanced threat protection

# Mobile Security for 4G, 5G and IOT

- SGi LAN security powered by multiple SPUs to provide high performance CGNAT and accelerate IPv4 and IPv6 traffic
- RAN Access Security with highly scalable and best performing IPsec aggregation and control security gateway (SecGW)
- User plane security enabled by full Threat Protection and visibility into GTP-U inspection
- Signaling security to inspect various protocols such as SCTP, Diameter, GTP-C, SIP and provide protection against attacks
- High-speed interfaces to enable deployment flexibility



# Segmentation

- Intent-based Segmentation builds robust security framework while proactively reducing risk, cost and complexity
- Integrates with Security Fabric seamlessly to allow third party solutions and continuous trust assessment and thereby prevent sophisticated attacks
- Protects critical business applications and helps implement any compliance without network redesigns

IPS

- Highly cost-effective mitigation of unpatched vulnerability for hard-topatch systems such as IOT, ICS, and Scada
- Protect sensitive data to achieve various regulatory compliance such as PCI, HIPPA, PII, GDPR
- Multiple inspection engines, threat intelligence feeds and advanced threat protection options to defend against unknown threats in real-time
- Best of breed intrusion prevention with high-performance SSL inspection


#### CALIFICION FORTIAR Point FORTIGATE Point FORTIGATE FORTIGATE FORTIGATE Sufficiency FORTIGATE FORTIGATE Sufficiency FORTIGATE FORTIGAT

FortiGate 3000D deployment in data

center (IPS/NGFW, Intent-based

Segmentation)


FortiGate 3000D deployment in large campus networks (NGFW, Intent-based Segmentation)



FRTINET.

## Hardware

## FortiGate 3000D/-DC





#### Interfaces

- 1. Console Port
- 2. USB Management Port

## Powered by SPU

 Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds

| SPU |
|-----|
|     |

- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

- 3. 2x GE RJ45 Management Ports
- 4. 16x 10G SFP+/GE SFP Slots

#### **Network Processor**

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

#### **Content Processor**

The SPU CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

#### 10 GE Connectivity for Network Segmentation

High speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 3000D provides the highest 10 GE port densities in the market, simplifying network designs without relying on additional devices to bridge desired connectivity.

# **Fortinet Security Fabric**


## **Security Fabric**

The Security Fabric delivers broad visibility, integrated AI-driven breach prevention, and automated operations, orchestration, and response across all Fortinet and its ecosystem deployments. It allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network. All this is ties together under a single pane of glass management for significantly thereby delivering leading security capabilities across your entire environment while also significantly reducing complexity.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

## **FortiOS**

Control all security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce complexity, costs, and response time with a truly consolidated next-generation security platform.




# **Services**



## FortiGuard<sup>™</sup> Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



- A truly consolidated platform with a single OS and pane-of-glass for all security and networking services across all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance. Ability to leverage latest technologies such as deception-based security.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated Al-driven breach prevention and advanced threat protection.
- Fulfil your networking needs with extensive routing, switching, and SD-WAN capabilities along with intent-based segmentation.
- Utilize SPU hardware acceleration to boost security capability performance.



## FortiCare<sup>™</sup> Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.

For more information, please refer to forti.net/fortiguard and forti.net/forticare

# **Specifications**

|   | FORTIGATE 3000D AND 3000D-DC                  |  |  |  |
|---|---|--|--|--|
| Interfaces and Modules  |   |  |  |  |
| 10 GE SFP+ / GE SFP Slots   | 16  |  |  |  |
| GE RJ45 Management Ports  | 2   |  |  |  |
| USB Ports (Server)  | 1   |  |  |  |
| Console Port  | 1   |  |  |  |
| Internal Storage  | 1x 480 GB SSD                                 |  |  |  |
| Included Transceivers   | 2x SFP+ (SR 10GE)                             |  |  |  |
| System Performance — Enterprise Traffic Mix                         |   |  |  |  |
| IPS Throughput <sup>2</sup>   | 23 Gbps                                       |  |  |  |
| NGFW Throughput <sup>2, 4</sup>                                     | 22 Gbps                                       |  |  |  |
| Threat Protection Throughput <sup>2, 5</sup>                        | 13 Gbps                                       |  |  |  |
| System Performance and Capacity                                     |   |  |  |  |
| Firewall Throughput (1518 / 512 / 64 byte, UDP)                     | 80 / 80 / 50 Gbps                             |  |  |  |
| IPv6 Firewall Throughput<br>(1518 / 512 / 86 byte, UDP)             | 80 / 80 / 50 Gbps                             |  |  |  |
| Firewall Latency (64 byte, UDP)                                     | 3 µs  |  |  |  |
| Firewall Throughput (Packet per Second)                             | 75 Mpps                                       |  |  |  |
| Concurrent Sessions (TCP)   | 50 Million                                    |  |  |  |
| New Sessions/Second (TCP)   | 400,000                                       |  |  |  |
| Firewall Policies   | 200,000                                       |  |  |  |
| IPsec VPN Throughput (512 byte) <sup>1</sup>                        | 50 Gbps                                       |  |  |  |
| Gateway-to-Gateway IPsec VPN Tunnels                                | 40,000  |  |  |  |
| Client-to-Gateway IPsec VPN Tunnels                                 | 200,000                                       |  |  |  |
| SSL-VPN Throughput  | 8 Gbps  |  |  |  |
| Concurrent SSL-VPN Users<br>(Recommended Maximum, Tunnel Mode)      | 30,000  |  |  |  |
| SSL Inspection Throughput (IPS, avg. HTTPS) <sup>3</sup>            | 15 Gbps                                       |  |  |  |
| SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup>                   | 8,000   |  |  |  |
| SSL Inspection Concurrent Session<br>(IPS, avg. HTTPS) <sup>3</sup> | 3.5 Million                                   |  |  |  |
| Application Control Throughput (HTTP 64K) <sup>2</sup>              | 40 Gbps                                       |  |  |  |
| CAPWAP Throughput (1444 byte, UDP)                                  | 22 Gbps                                       |  |  |  |
| Virtual Domains (Default / Maximum)                                 | 10 / 500                                      |  |  |  |
| Maximum Number of FortiSwitches Supported                           | 256   |  |  |  |
| Maximum Number of FortiAPs<br>(Total / Tunnel Mode)                 | 4,096 / 1,024                                 |  |  |  |
| Maximum Number of FortiTokens                                       | 20,000  |  |  |  |
| Maximum Number of Registered FortiClients                           | 50,000  |  |  |  |
| High Availability Configurations                                    | Active / Active, Active / Passive, Clustering |  |  |  |

|  | FORTIGATE 3000D AND 3000D-DC                                       |  |  |  |
|--|--|--|--|--|
| Dimensions and Power                     |  |  |  |  |
| Height x Width x Length (inches)         | 3.5 x 17.4 x 21.9  |  |  |  |
| Height x Width x Length (mm)             | 88 x 442 x 555   |  |  |  |
| Weight                                   | 37.5 lbs (17.0 kg)   |  |  |  |
| Form Factor                              | 2 RU   |  |  |  |
| AC Power Supply                          | 100–240V AC, 50–60 Hz  |  |  |  |
| DC Power Supply (EG-3000D-DC)            | 40.5–57V DC  |  |  |  |
| Power Consumption (Average / Maximum)    | 310 W / 427 W  |  |  |  |
| Heat Dissipation                         | 1457 BTU/h   |  |  |  |
| Redundant Power Supplies                 | Yes, Hot Swappable   |  |  |  |
| Operating Environment and Certifications |  |  |  |  |
| Operating Temperature                    | 32-104°F (0-40°C)  |  |  |  |
| Storage Temperature                      | -31–158°F (-35–70°C)   |  |  |  |
| Humidity                                 | 10—90% non-condensing  |  |  |  |
| Noise Level                              | 50 dBA   |  |  |  |
| Operating Altitude                       | Up to 7 400 ft (2 250 m)   |  |  |  |
| Compliance                               | FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB                  |  |  |  |
| Certifications                           | ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN;<br>USGv6/IPv6 |  |  |  |

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

- 4. NGFW performance is measured with Firewall, IPS and Application Control enabled.
- 5. Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.



## **Order Information**

| Product  | SKU              | Description   |
|--|------------------|---|
| FortiGate 3000D                                      | FG-3000D         | 16x 10 GE SFP+ slots, 2x GE RJ45 Management, SPU NP6 and CP8 hardware accelerated, 480 GB SSD onboard storage,<br>and dual AC power supplies.   |
| FortiGate 3000D-DC                                   | FG-3000D-DC      | 16x 10 GE SFP+ slots, 2x GE RJ45 Management, SPU NP6 and CP8 hardware accelerated, 480 GB SSD onboard storage,<br>and dual DC power supplies.   |
| Optional Accessories                                 |                  |   |
| Rack Mount Sliding Rails                             | SP-FG3040B-RAIL  | Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC and FG-3950B/-DC. |
| 10 GE SFP+ Transceiver Module, Short Range           | FG-TRAN-SFP+SR   | 10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.  |
| 10 GE SFP+ Transceiver Module, Long Range            | FG-TRAN-SFP+LR   | 10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.   |
| 1 GE SFP LX Transceiver Module                       | FG-TRAN-LX       | 1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.   |
| 1 GE SFP RJ45 Transceiver Module                     | FG-TRAN-GC       | 1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.   |
| 1 GE SFP SX Transceiver Module                       | FG-TRAN-SX       | 1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.   |
| 10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft | SP-CABLE-ADASFP+ | 10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.  |
| AC Power Supply                                      | SP-FG3600C-PS    | AC power supply for FG-3000D, FG-3100D, FG-3200D, FG-3600C and FG-3240C.  |
| DC Power Supply                                      | SP-FG1500D-DC-PS | DC power supply for FG-1500D-DC, FG-3000D-DC, FG-3100D-DC, FG-3200D-DC.   |

## **Bundles**



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

| Bundles  | 360<br>Protection | Enterprise<br>Protection | UTM  | Threat<br>Protection |
|--|-------------------|--------------------------|------|----------------------|
| FortiCare  | ASE 1             | 24x7                     | 24x7 | 24x7                 |
| FortiGuard App Control Service   | •                 | •                        | •    | •                    |
| FortiGuard IPS Service   | •                 | •                        | •    | •                    |
| FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware,<br>Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service | •                 | •                        | •    | •                    |
| FortiGuard Web Filtering Service   | •                 | •                        | •    |                      |
| FortiGuard Antispam Service  | •                 | •                        | •    |                      |
| FortiGuard Security Rating Service   | •                 | •                        |      |                      |
| FortiGuard Industrial Service  | •                 | •                        |      |                      |
| FortiCASB SaaS-only Service  | •                 | •                        |      |                      |
| FortiConverter Service   | •                 |                          |      |                      |
| SD-WAN Cloud Assisted Monitoring <sup>2</sup>  | •                 |                          |      |                      |
| SD-WAN Overlay Controller VPN Service <sup>2</sup>   | •                 |                          |      |                      |
| FortiAnalyzer Cloud <sup>2</sup>   | •                 |                          |      |                      |
| FortiManager Cloud <sup>2</sup>  | •                 |                          |      |                      |

1. 24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.2



www.fortinet.com

Copyright © 2019 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signal be bending on Fortinet. For absolute olarity, any such warrants hur beighting for form according to certain expressiv-identified performance in the same ideal conditions as in Fortinet alls be binding or internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet express or implied. Fortinet express or implied. Fortinet express or implied. Fortinet respress or implied. Fortinet respress herein the same ideal conditions as in Fortinets and, in such event, only the applicable. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet respress or implied. Fortinet respress hereing to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. FST-PROD-DS-GT30K

FG-3000D-DAT-R19-201906