

FortiGate/FortiWiFi® 60E-DSL/J

Enterprise Branch Secure SD-WAN Unified Threat Management

FortiGate 60E-DSL(J) and FortiWiFi 60E-DSL(J)

	 ==	-	-	-	-	-			-	-	- 000				
FERTINET.							OSL								
							SPINC III TX.VIX							WKN	
			PAR	STATUS	**		12.90			10		10	 	SPEED	

The FortiGate 60E series offers an excellent network security solution in a compact desktop form factor for enterprise branch offices and mid-sized businesses. Protect against cyber threats with industry-leading secure SD-WAN in a simple, affordable and easy to deploy solution.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Detects unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking

- Delivers an extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment such as UTM and Secure SD-WAN

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



Firewall	IPS	NGFW	Threat Protection	Interfaces
3 Gbps	400 Mbps	250 Mbps	200 Mbps	Multiple GE RJ45 WiFi Variants

Refer to specification table for details

DEPLOYMENT




Unified Threat Management (UTM)


- Consolidated security and networking for small businesses
- Consistently top-rated protection to stop threats
- Integrated wired and wireless networking to simplify IT
- Purpose-built hardware for industry best performance
- Cloud management for easy administration



- Secure direct Internet access for Cloud Applications for improved latency and reduce WAN cost spending
- Effective, cost-efficient and high performance threat prevention capabilities
- WAN Path Controller and Link Health Monitoring for better application performance
- Security Processor powered industry's best IPsec VPN and SSL Inspection performance
- Centralized Management and Zero Touch deployment



FortiWiFi 60E-DSL/J deployment in small office (UTM)



FortiGate 60E-DSL/J deployment in branch office (Secure SD-WAN)


HARDWARE

FortiGate 60E-DSL/J


FCBRTINET,



4 5 6 7 DAZ NAN



FortiWiFi 60E-DSL/J



Interfaces

- 1. USB Port
- 2. Console Port
- 3. 1x GE RJ45 WAN Port
- 4. 1x GE RJ45 DMZ Port
- 5. 7x GE RJ45 Internal Ports

Interfaces

- 1. USB Port
- 2. Console Port
- 3. 1x GE RJ45 WAN Port
- 4. 1x GE RJ45 DMZ Port
- 5. 7x GE RJ45 Internal Ports

Powered by SPU SoC3



- Combines a RISC-based CPU with Fortinet's proprietary SPU content and network processors for unmatched performance
- Simplifies appliance design and enables breakthrough performance for smaller networks
- Supports firewall acceleration across all packet sizes for maximum throughput
- Delivers accelerated UTM content processing for superior performance and protection
- Accelerates VPN performance for high speed, secure remote access

Comprehensive WAN connectivities

The FortiGate/FortiWiFi 60E-DSL/J includes a built-in DSL modem, along with support for 3G/4G connectivity via external third-party USB modems or FortiExtender. These capabilities provide redundant links for maximum reliability.

Compact and Reliable Form Factor

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

Superior Wireless Coverage

A built-in dual-band, dual-stream access point with internal antennas is integrated on the FortiWiFi 60E-DSL/J and provides speedy 802.11ac wireless access. The dual-band chipset addresses the PCI-DSS compliance requirement for rogue AP wireless scanning, providing maximum protection for regulated environments.



FORTINET SECURITY FABRIC


Security Fabric

The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated nextgeneration security platform.




SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Ultilize SPU hardware acceleration to boost security capability performance.

For more information, please refer to the FortiOS data sheet available at www.fortinet.com



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare

SPECIFICATIONS

FC	RTIGATE 60E-DSL/J	FORTIWIFI 60E-DSL/J				
Hardware Specifications						
GE RJ45 WAN / DMZ Ports	1/1	1/1				
GE RJ45 Internal Ports	7	7				
Wireless Interface	-	802.11 a/b/g/n/ac				
USB Ports	1	1				
Console (RJ45)	1	1				
Internal Storage	-	-				
System Performance						
Firewall Throughput (1518 / 512 / 64 byte UDP packets)	3/3/	3 Gbps				
Firewall Latency (64 byte UDP packets)	3	μs				
Firewall Throughput (Packets Per Second)	4.51	Mpps				
Concurrent Sessions (TCP)	1.3 M	Villion				
New Sessions/Second (TCP)	30,	000				
Firewall Policies	5,000					
IPsec VPN Throughput (512 byte) ¹	2 Gbps					
Gateway-to-Gateway IPsec VPN Tunnels	20	00				
Client-to-Gateway IPsec VPN Tunnels	50	00				
SSL-VPN Throughput	150	Mbps				
Concurrent SSL-VPN Users	1(00				
(Recommended Maximum, Tunnel Mode)						
SSL Inspection Throughput (IPS, HTTP) ³	175 Mbps					
Application Control Throughput (HTTP 64K) ²	650 Mbps					
CAPWAP Throughput (HTTP 64K)	890 Mbps					
Virtual Domains (Default / Maximum)	10/10					
Maximum Number of Switches Supported		A.				
Maximum Number of FortiAPs (Total / Tunnel Mode)	30,	/ 10				
Maximum Number of FortiTokens	1(00				
Maximum Number of Registered FortiClients	200					
High Availability Configurations	Active / Active, Active	e / Passive, Clustering				
System Performance — Optimal Traffic Mix						
IPS Throughput ²	1,400) Mbps				
System Performance — Enterprise Traffic Mix						
IPS Throughput ²	400	Mbps				
NGFW Throughput ^{2,4}	250	Mbps				
Threat Protection Throughput ^{2, 5}	200	Mbps				

	FORTIGATE 60E-DSL/J	FORTIWIFI 60E-DSL/J				
Dimensions						
Height x Width x Length (inches)	1.7 x 8	.5 x 7.1				
Hoight y Width y Longth (mm)	42.5 x 215 x 180					
Weight	1.9 lbs (0.9 kg)	1.9 lbs (0.9 kg)				
Form Factor	Desktop					
Operating Environment and Certifications						
Power Required	Required 100–240V AC, 50–60 H					
Maximum Current	110V AC / 1.5 A,	115V AC / 0.9A, 230V AC / 0.6A				
Total Available PoE Power Budget	N/A					
Power Consumption (Average / Maximum)	11.7 / 14 W	12.6 / 15.2 W				
Heat Dissipation	40 RTU/h	52 BTU/h				
Operating Temperature	32–104°F (0–40°C)					
	-31-158°F (-35-70°C)					
Humidity	10 000/					
Noise Level	-40 dBA					
Operating Altitude	Up to 7,400 ft (2,250 m)					
Compliance	FCC Part 15 Class B, C-T	ick, VCCI, CE, UL/cUL, CB				
Certifications	ICSA Labs: Firewall, IPse	c, IPS, Antivirus, SSL-VPN				
SUPPORTED MODEL STANDARDS						

FGT/FWF-60D-DSL

ANSI T1.413 Issue 2, ETSI ADSL over ISDN (TS 101 388) ITU-T G.dmt (G.992.1) (ADSL) – Annex A ITU-T G.dmt.bis (G.992.3) (ADSL2) – Annex A, Annex L, Annex M ITU-T G.dmt.plus (G.992.5) (ADSL2+) – Annex A, Annex M ITU-T VDSL2 (G.993.2) – All profiles 8a, 8b, 8c, 8d, 12a, 12b, 17a_EU32 – Annex A, C (all regions) ITU-T VDSL1 (G.993.1), ITU-T G.993.5, ITU-T G.998.4

FGT/FWF-60D-DSLJ

G.992.1 Annex B (ADSL1) G.992.3 Annex B (ADSL2) G.992.5 Annex B and J (ADSL2+) G.993.2 VDSL2, Profiles 8a, 8b, 8c, 8d, 12a, 12b, 17a, 30a G.993.5 Vectoring

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

3. SSL Inspection performance test uses TLS v1.2 with AES128-SHA256.

- 4. NGFW performance is measured with Firewall, IPS and Application Control enabled.
- 5. Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

F::RTINET.

5

ORDER INFORMATION

Product	SKU	Description
FortiGate 60E-DSL	FG-60E-DSL	9x GE RJ45 ports (including 7x internal ports, 1x WAN port, 1x DMZ port), internal ADSL2/2+ and VDSL2 modem.
FortiWiFi 60E-DSL	FWF-60E-DSL	9x GE RJ45 ports (including 7x internal ports, 1x WAN port, 1x DMZ port), internal ADSL2/2+ and VDSL2 modem, Wireless (802.11ac).
FortiGate-60E-DSLJ	FG-60E-DSLJ	9x GE RJ45 ports (including 7x internal ports, 1x WAN port, 1x DMZ port), internal ADSL2/2+ and VDSL2 modem supporting Annex B/J.
FortiWiFi-60E-DSLJ	FWF-60E-DSLJ	9x GE RJ45 ports (including 7x internal ports, 1x WAN port, 1x DMZ port), internal ADSL2/2+ and VDSL2 modern supporting Annex B/J, Wireless (802.11ac).



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	Threat Protection	UTM	Enterprise Protection
FortiCASB SaaS-only Service ^			•
FortiGuard Industrial Service ^			٠
FortiGuard Security Rating Service* ^			•
FortiGuard Antispam		•	•
FortiGuard Web Filtering		٠	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR*, Virus Outbreak Protection* and FortiSandbox Cloud Service*	•	٠	•
FortiGuard IPS Service	•	•	•
FortiCare + FortiGuard App Control Service	•	•	•

* Available when running FortiOS 6.0.1 and above ^ With new Q3-2018 SKUs



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 8 Temasek Boulevard #12-01 Suntec Tower Three Singapore 038988 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2018 Fortinet, Inc. All rights reserved. Fortiles@, Fortiles@, Fortiles@, Fortiles@, and Fortiles@, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were atlained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Noting herein repressiv-fortified performance metrics and, in such event, only the specific performance metrics expressly variables, in use network environment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant here express or implied. Fortile_Cove_DBS_CETERD_